UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,055	08/21/2003	Douglas A. Devens JR.	10527-443001	6549
	7590	EXAMINER		
1221 NICOLLET AVENUE SUITE 800 MINNEAPOLIS, MN 55403-2420			CAMPBELL, VICTORIA P	
			ART UNIT	PAPER NUMBER
			3763	
			MAIL DATE	DELIVERY MODE
			12/16/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/645,055	DEVENS ET AL.			
Office Action Summary	Examiner	Art Unit			
	VICTORIA P. CAMPBELL	3763			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
2a)⊠ This action is FINAL . 2b)☐ Thi	This action is FINAL . 2b) This action is non-final.				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
 4) Claim(s) 1-5 and 8-45 is/are pending in the application. 4a) Of the above claim(s) 9,11,13,15,16,18-26 and 29-42 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-5,8,10,12,14,17,27,28 and 43-45 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9) ☐ The specification is objected to by the Examiner. 10) ☑ The drawing(s) filed on 10 September 2008 is/are: a) ☑ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:	ate			

DETAILED ACTION

This is the second Office Action based on the 10/645055 application filed August 21, 2003. Claims 1-5, 8, 10, 12, 14, 17, 27, 28 and 43-45 as amended September 10, 2008 are currently pending and considered below.

Response to Amendment

1. In light of the amendments made to the specification and the drawings as presented September 10, 2008, the examiner hereby withdraws the previous objections to the specification and drawings. Further, in light of the amendments to the claims, the examiner hereby withdraws all *previous* rejections made under 35 U.S.C. 112 second paragraph.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-5, 8, 10, 12, 14, 17, 27, 28, and 43-45 are rejected under 35 U.S.C. 102(b) as being anticipated by USPN 6,024,752 to Horn et al.

Regarding the above claims, Horn et al disclose a medical device comprising a balloon (104a) comprising a first portion (114a) and a second portion (108a, 120a), wherein the first and second portion vary in thickness (Figs. 1a and 1b), wherein the

Application/Control Number: 10/645,055

Page 3

Art Unit: 3763

balloon has a body portion (130a) and a cone portion (128a, 132a) wherein the first portion has a greater thickness at the body portion than at the cone portion (Fig. 1a). Horn et al further disclose that the first and second portions have different compositions (Col. 3, lines 39-53), that the portions extend substantially the entire length of the balloon (Figs. 1a and 1b), and that the first and second portions have different hardness, wherein the second portion is softer and more flexible than the first (Col. 5, liens 57-62). Horn et al also disclose that the second portion is disposed substantially entirely on the first portion (Fig. 1b). Further, Horn et al also show that the thicknesses of the first and second portions are generally constant in the cone portion (Figs. 1a and 1b). Horn et al also disclose a balloon (104a) comprising a plurality of layers (there being at least two, Figs. 1a and 1b) of a first material and a second material which is different from the first (114a; 108a and 120a; Col. 3, lines 39-53) wherein at least one of the layers varies in thickness axially along the balloon (114a) and includes a first thickness adjacent the waist portion of the balloon (138a, 140a) and a second thickness greater than the first thickness adjacent the body portion (130a), wherein the balloon comprises a tapered portion (128a, 132a) and the body and tapered portions have different stiffness (Col. 5, lines 57-62).

Response to Arguments

4. Applicant's arguments with respect to the above claims have been considered but are most in view of the new ground(s) of rejection.

Application/Control Number: 10/645,055 Page 4

Art Unit: 3763

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to VICTORIA P. CAMPBELL whose telephone number is (571)270-5035. The examiner can normally be reached on Monday-Thursday, 7-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/645,055 Page 5

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Victoria P Campbell Examiner, AU 3763

/Nicholas D Lucchesi/ Supervisory Patent Examiner, Art Unit 3763